



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C05G 3/00	A1	(11) International Publication Number: WO 98/21167 (43) International Publication Date: 22 May 1998 (22.05.98)
(21) International Application Number: PCT/US97/20402 (22) International Filing Date: 7 November 1997 (07.11.97) (30) Priority Data: 08/747,484 12 November 1996 (12.11.96) US (71) Applicant: RHONE-POULENC, INC. [US/US]; Prospect Plains Road, Cranbury, NJ 08512-7500 (US). (72) Inventor: EINZIGER, Mark, David; 6 Hearthstone Drive, Manalapan, NJ 07726 (US). (74) Agents: SHEDDEN, John, A. et al.; Rhone-Poulenc Inc., Building N, Prospect Plains Road, Cranbury, NJ 08512-7500 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: STABLE AQUEOUS FERTILIZER COMPOSITION CONCENTRATE COMPRISING POTASSIUM		
(57) Abstract Aqueous fertilizer composition concentrates comprising potassium and optionally azote, phosphorous and sulfur are stabilized with a mixture of guar and xanthan gum; present a high content in nutrients; and can be used in drip irrigation systems without clogging.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

STABLE AQUEOUS FERTILIZER COMPOSITION CONCENTRATE COMPRISING POTASSIUM

BACKGROUND OF THE INVENTION

1. Field of the Invention

This invention relates to a stable aqueous
10 fertilizer composition concentrate comprising potassium
and a mixture of guar gum and xanthan gum as a
stabilizing agent.

2. Technology Description

It is known that aqueous fertilizer compositions
15 in a fluid form present several advantages compared
with fertilizer composition in a solid form.

The preparation of such liquid aqueous compositions avoids granulating and drying steps and obviates other drawbacks such as caking or dust formation.

These aqueous fertilizer compositions are currently made in a liquid form as solution and/or as suspension fertilizers. In solution, the fertilizers are dissolved in water and, in suspension, the fertilizers are still present as a solid phase and have to remain as a stable suspension in water.

However, a serious disadvantage of liquid fertilizer resides in the limited solubility of most of

the various salts comprising the nutrients themselves, thereby making it difficult to obtain product concentrates.

Attempts have been made to prepare aqueous
5 suspensions having a nutrient content higher than that of solutions. However, the storage stability is insufficient, and to obtain fertilizer suspensions that are stable during storage, it is known to add to these suspensions various suspending agents. These
10 suspending agents can be swelling clays such as bentonite and attapulgite as described in US Patent 3,109,729 and 3,096,170 or starches, gums and carboxymethyl cellulose as described in US 3,234,005.

These most promising suspending agent
15 improvements, however, have proven to be insufficient for aqueous fertilizer compositions comprising potassium.

Potassium is an essential nutrient used on many crops in fairly large amounts. As a nutrient for fluid
20 formulations, potassium is difficult to manage due to its high bulk density. Useful potassium compounds have a tendency to settle or to salt out of solution. This is particularly true for potassium sulfate or sulfate of potash, which is a preferred potassium and sulfur
25 source for chloride and salt sensitive crops.

Moreover, the suspensions of the prior art when used in drip irrigation systems, clog the apertures or holes of the lines or hoses because of the presence of clay suspending agent.

5 A principal object of this invention is to provide an aqueous fertilizer composition concentrate comprising potassium, i) which is stable upon storage for several months; ii) that can be shipped without settling; iii) that has a high content of nutrients;
10 and iv) that can be more particularly used in drip irrigation systems without clogging the apertures or holes of the lines or hoses.

SUMMARY OF THE INVENTION

15 To attain these objectives and others, it has now been serendipitously discovered that an aqueous fertilizer composition concentrate comprising potassium and a mixture of guar and xanthan gum has essentially none of the above identified disadvantages associated
20 with known aqueous fertilizer compositions and can be used, after appropriate dilution with water, in drip irrigation without clogging the apertures or holes of the lines or hoses.

DETAILED DESCRIPTION OF THE INVENTION

25 The invention more particularly relates to a stable aqueous fertilizer composition concentrate

comprising potassium and about 0.10 to 0.60, preferably about 0.20 to 0.40 weight percent of a suspending agent mixture of hydrocolloids comprising about 90 to 50, preferably about 80 to 60 weight percent of xanthan gum
5 and 10 to 50, preferably about 20 to 40 weight percent of guar gum.

The weight percent of the mixture of hydrocolloids is based on the total weight of the fertilizer composition concentrate and the weight
10 percent of xanthan gum and guar gum is based on the total weight of hydrocolloids.

Xanthan gum is a polysaccharide derived from microorganisms of the genus xanthomonas, preferably from xanthomonas campestris.

15 Guar gum, classified as a galactomannan, is a nonionic polysaccharide derived from the seed of the guar plant, cyamopsis tetragonolobus, family leguminosae.

All of the commercially available gums are usable
20 in the invention. However, Rhodopol 23[®] xanthan gum and Higum MV2/6[®] guar gum, both of them commercialized by Rhône-Poulenc Inc., a Corporation of New Jersey, are preferred.

Other products can be added in the fertilizer
25 composition concentrate, for example, pesticides, herbicides and micronutrients such as preferably water

soluble compounds of zinc, iron, cobalt, molybdenum, copper, boron, magnesium, manganese and mixtures thereof.

Typical grades of fertilizer compositions used by the skilled artisan are indicated herein below by the conventional three number designation respectively indicating the percentage by weight of nitrogen as N, phosphorus as P_2O_5 and potassium as K_2O in the composition.

Typical grades include compositions designated as 2 - 6 - 32 -, 0 - 0 - 40, 0 - 0 - 36, 14 - 28 - 7, 12 - 18 - 18, 10 - 20 - 20, 9 - 18 - 27 and 3 - 10 - 30.

Among the nitrogen compounds, the more usually employed are ammonium nitrate, ammonium sulfate, ammonium phosphates, potassium nitrate and urea. Among the phosphorus compounds, the more usually employed are ammonium phosphates, potassium phosphates and calcium phosphates. Among the potassium compounds, the more usually employed are potassium chloride, potassium nitrate, potassium phosphates, muriate of potash and potassium sulfate or sulfate of potash.

In fertilizer compositions which further comprise sulfur, the grade of sulfur is indicated by a fourth number followed by the letter S and standing for the percentage by weight of sulfur as S.

Typical grades include compositions designated as
0 - 0 - 24 - 8S, 0 - 0 - 36 - 12S, 3 - 10 - 30 - 10S, 20
- 0 - 10 - 3S, and 13 - 0 - 13 - 3S.

The amount of water which may be present in the
5 fertilizer composition concentrate will depend on the
nature of the fertilizer or mixture of fertilizers in
the composition. Preferably, the amount of water
present in the composition of this invention is the
minimum quantity required to provide a stable
10 suspension which is capable of being handled as a
liquid.

Typically, most of the time, the quantity of water
in the fertilizer composition concentrate is from about
10 to 90 weight percent more particularly from about 20
15 to 80% of the total composition.

Just before its use, the concentrate is diluted
with water, most of the time between about 5 to 20,
more particularly between 8 to 16 times its own volume
of water.

20 The fertilizer composition concentrates of this
invention and more particularly those with higher
grades of K_2O and S, have the advantage of transforming
into clear solutions for fertigation use through drip
irrigation systems upon dilution with water as
25 indicated above. They also have the advantage of being
blendable with other fertilizer compositions and with

pesticides and herbicides. It would be noticed that some pesticides are rendered ineffective when mixed with clay such as paraquat and glyphosate, but will remain effective with the specific mixture of hydrocolloids according to this invention.

The fertilizer composition concentrates of this invention may be spread or sprayed conveniently through conventional devices from an airplane or at ground level. At ground level, all types of irrigation systems may be used including furrow, sprinkler, linear and center pivot.

Furthermore, as already set forth before, the fertilizer composition concentrates of this invention are more particularly suitable in drip irrigation systems where the compositions are delivered, most of the time, only by gravity, drop by drop onto the field. Such drip irrigation systems are barely usable with fertilizers suspended by clay because the clay clogs the apertures of the lines of the irrigation systems through which the fertilizer composition drips (flows drop by drop).

When the apertures or holes are clogged, it is necessary to wash out the lines with an acid solution which is time-consuming and expensive. The drip irrigation fertilizer clay suspension system cannot be run simultaneously with an acid solution (generally

phosphoric acid) because clay settles faster in acid medium, the acid breaking the clay suspension. Thus, the end user usually runs in a first step, all nutrients except phosphorus in a clay suspension
5 system, then, in a second step, runs phosphoric acid through the lines to clean the lines; and then runs a stronger mineral acid such as HCl through the lines to ensure that all lines and apertures are clear; and the steps are repeated. The composition of this invention
10 can have a pH as low as 2.5 and can be run through the lines with phosphoric acid without clogging. Therefore, the compositions of this invention are self-cleaning.

This invention also relates to a process for spreading a fertilizer composition with a drip
15 irrigation system, comprising the steps of:

- diluting with water an aqueous fertilizer composition concentrate as herein described and more particularly an aqueous composition concentrate comprising potassium and about 0.10 to 0.60, preferably
20 about 0.20 to 0.40 weight percent, based on the total weight of the fertilizer composition, of a mixture of hydrocolloids comprising about 90 - 50 weight percent, preferably about 80 - 60 weight percent of xanthan gum and about 10 - 50 weight percent, preferably about 20 -
25 40 weight percent of guar gum based on the total weight of the hydrocolloids; the pH of said concentrate being

greater than about 2.5, the viscosity of this concentrate being between about 200 to about 1000 cps; and

-introducing the diluted composition into a drip
5 irrigation system.

The fertilizer composition may be prepared according to the following process. A reacting vessel having central agitation is used. The vessel is fed through the top with the different nutrient ingredients
10 and the mixture of hydrocolloids and water is fed through the bottom through a pump which can also empty the vessel when the preparation of the fertilizer concentrate is completed.

In a first step, the hydrocolloids are mixed with
15 water and the resulting mixture is agitated. At the time of hydrocolloids addition, the water should be vigorously agitated in a liquid mixing unit with both a pump and an agitator in operation. Variations in water quality, temperature, or mineral content have not been
20 shown to have any effect on the fertilizer concentrate preparation. However, maximum hydrocolloids hydration is important and will occur when water pH is slightly above about 7.

It is preferable to add a small amount of an acid
25 to lower the water pH and enhance the hydration process of the hydrocolloids. This will reduce mixing time,

lower the amount of hydrocolloids required and prevent excessive unhydrated hydrocolloids.

Obtaining the desired viscosity of the water and hydrocolloid mixture prior to the addition of potassium is important for the quality of the final fertilizer composition concentrate. It is recommended to reach a viscosity of about 200 centipoise before adding potassium. At this point, the mixture has a thin jelly-like consistency. This viscosity and all the viscosity values herein set forth are measured by using a Brookfield dial viscometer model RVT with spindle No. 4 rotated at 100 rpm.

When the right viscosity is obtained, the potassium compound, preferably potassium sulfate or sulfate of potash, is added quickly and enough agitation is used to adequately mix the potassium sulfate with the pre-gel mixture. Continued agitation with the agitator and recirculation pump, following nutrient addition are necessary to obtain the desired final viscosity.

Final viscosity of the fertilizer composition concentrate will vary depending on what nutrient composition and nutrient sources are used. The skilled artisan will have no difficulties determining the right viscosity to assure optimum stability for both static storage and transportation. It is recommended according

to this invention that the viscosity of the concentrate be between 200 and 1,000 cps, this viscosity being usually higher when the content of potassium is higher. This viscosity will reach a maximum value of about 800-
5 1,000 cps with a maximum content of K_2O in the concentrate of about 40 weight percent.

Examples I-II:

By following the general process described above 0
- 0 -24 - 8S, and 0 - 0 - 36 - 12S fertilizer
10 compositions are made.

The starting compositions are :

- a mixture of hydrocolloids;
- a mixture of 30 weight percent. Higum MV 2/6 ®
guar gum commercialized by Rhône-Poulenc Inc. and 70
15 weight percent of Rhodopol 23 ®, xanthan gum
commercialized by Rhône-Poulenc Inc.

- sulfate of potash commercialized by Great Salt
Lake Minerals Corporation.

The percentage of the different components of the
20 fertilizer compositions and the final viscosity of the
concentrates are set forth in Table I herein below.

TABLE I

Raw Materials (weight percent)

Fertilizer Composition	Water	Hydrocolloid	Sulfate of Potash	Viscosity
0-0-36-12S	31.35	0.15	68.50	750-900
0-0-24-8S	54.05	0.25	45.70	350-450

5

EXAMPLE IIIPreparation of a 20-0-10-3S fertilizer composition:

The general process herein above described is carried out again except that water is first combined with ammonium nitrate (30-0-0) and then 0.25 weight percent of hydrocolloids (30 weight percent guar + 70 weight percent xanthan) is added. Thereafter, 0.075 weight percent acid in the form of HCl or H₂SO₄ is added. A viscosity of about 200 cps is then obtained with agitation; potassium sulfate is added; and a final viscosity of 480 cps is reached following the final agitation phase.

Magnesium oxide is added together with 1 weight percent of polyvinyl alcohol sold by Rhône-Poulenc under the trade mark Soprophor FLK®. The percentage of the different components are set forth in Table II herein below :

TABLE II

Composition 20-0-10-3S		
Ingredient	Percent by Weight	Addition order
Ammonium Nitrate (30-0-0)	66.67	1
Water	13.79	2
Hydrocolloids	0.25	3
Acid (HCl concentrate)	0.06	4
Sulfate of Potash	19.23	5
Viscosity (cps)	480	

EXAMPLE IV5 Preparation of a 3-10-30-10S fertilizercomposition:

The general process herein above described is carried out again except that water is first combined with ammonium nitrate (28-0-0) and then 0.23 weight percent of hydrocolloids (30 weight percent guar + 70 weight percent xanthan) is slowly added. When the addition of ammonium nitrate is completed, ammonium phosphate is added with continuous mixing until the material is completely blended. Thereafter, potassium sulfate is added while mixing and is blended for 5 to 10 minutes, the final viscosity will be about 300 cps.

The percentage of the different components are set forth in Table III herein below:

TABLE III

Composition 3-10-30-10S		
Ingredients	Percent by Weight	Addition order
Water	12.02	1
Ammonium nitrate 28-0-0	10.00	2
Hydrocolloids	0.23	3
Diammonium phosphate	21.65	4
Potassium Sulfate	56.10	5
Viscosity (cps)	300	

The fertilizer composition concentrates of this invention will flow and pump much better than clay-based suspensions. They will store longer, i.e. for several months, even a year or more without settling, which permits flat bottom field tank storage without agitation. Although a clear layer may form on the surface, the underlying mixture remains homogeneous and re-mixes easily with pump recirculation or minimal agitation. A 10 ton clay-based suspension of the prior art contains up to 600 pounds of insoluble clay whereas the same amount of the composition of this invention contains only about 30 pounds of hydrocolloids. Thus much more active material is available to the end user per field delivered unit.

The fertilizer compositions of this invention, unlike their clay-based counterparts, are compatible with pesticides that lose their effectiveness when mixed with clay. Furthermore, the instant compositions
5 can be used in drip irrigation systems without clogging the lines.

I claim :

1. An aqueous fertilizer composition concentrate,
having a pH greater than about 2.5, comprising
potassium and about 0.10 - 0.60, weight percent based
5 on the total weight of the fertilizer composition of a
mixture of hydrocolloids comprising about 90 - 50
weight percent of xanthan gum and about 10 - 50 weight
percent of guar gum based on the total weight of
hydrocolloids and a viscosity of about 200 to 1,000
10 cps.

2. An aqueous fertilizer composition concentrate
according to claim 1, comprising about 0.20 to 0.4
weight percent of the said mixture of hydrocolloids.

3. An aqueous fertilizer composition concentrate
15 according to claim 1, comprising about 80 - 50 weight
percent of xanthan gum and about 20 - 40 weight percent
of guar gum.

4. An aqueous fertilizer composition concentrate
according to claim 1, further comprising azote.

20 5. An aqueous fertilizer composition concentrate
according to claim 1, further comprising phosphorus.

6. An aqueous fertilizer composition concentrate
according to claim 1, further comprising sulfur.

7. An aqueous fertilizer composition concentrate
25 according to claim 1, further comprising micronutrients
selected from the group consisting of zinc, iron,

cobalt, molybdenum, copper, boron, magnesium, manganese and mixtures thereof.

8. An aqueous fertilizer composition concentrate according to claim 1, further comprising pesticides or
5 herbicides.

9. An aqueous fertilizer composition concentrate according to claim 8, wherein the pesticide is paraquat or glyphosate.

10. A process of spreading a fertilizer
10 composition with a drip irrigation system, comprising the steps of:

- diluting with water an aqueous fertilizer composition concentrate comprising potassium and about 0.10 to 0.60, weight percent, based on the total weight
15 of the fertilizer composition, of a mixture of hydrocolloids comprising about 90 - 50 weight percent, of xanthan gum and about 10 - 50 weight percent of guar gum based on the total weight of the hydrocolloids, the pH of said concentrate being greater than about 2.5,
20 the viscosity of this concentrate being between about 200 to about 1000 cps; and

-introducing the diluted composition into a drip irrigation system.

11. A process according to claim 10, wherein said
25 concentrate comprises about 0.20 to 0,4 weight percent of the said mixture of hydrocolloids.

12. A process according to claim 10, wherein said concentrate comprises about 80 - 50 weight percent of xanthan gum and about 20 - 40 weight percent of guar gum.

5 13. A process according to claim 10, wherein said concentrate further comprises azote.

14. A process according to claim 10, wherein said concentrate further comprises phosphorus.

10 15. A process according to claim 10, wherein said concentrate further comprises sulfur.

16. A process according to claim 10, wherein said concentrate further comprises micronutrients selected from the group consisting of zinc, iron, cobalt, molybdenum, copper, boron, magnesium, manganese and
15 mixtures thereof.

17. A process according to claim 10, wherein said concentrate further comprises pesticides or herbicides.

18. A process according to claim 17, wherein said pesticide is paraquat or glyphosate.

20 19. A process according to claim 10, wherein said concentrate is diluted with a volume of water corresponding to about 5 to 20 times the volume of the concentrate.

INTERNATIONAL SEARCH REPORT

Intern. Application No

PCT/US 97/20402

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 C05G3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C05G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	FR 2 679 552 A (ALGOCHIMIE (S.A.)) 29 January 1993 see page 5, line 6 - page 6, line 17; claims	1-19
Y	GB 1 035 609 A (POTASSE ET ENGRAIS CHIMIQUES - SOCIETE ANONYME) 13 July 1966 see page 1, line 86 - page 2, line 55; claims	1-19
Y	US 4 155 314 A (W.P. O'CALLAGHAN ET AL.) 22 May 1979 see column 2, line 48 - column 3, line 40 see column 7, line 30 - line 63	1-19
Y	EP 0 654 482 A (RHONE-POULENC SPECIALTY CHEMICALS CO.) 24 May 1995 see page 6, line 42 - line 54; claim 12	1-19
	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

6 March 1998

Date of mailing of the international search report

17/03/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Schut, R

INTERNATIONAL SEARCH REPORT

Inter. onal Application No

PCT/US 97/20402

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE WPI Section Ch, Week 9540 Derwent Publications Ltd., London, GB; Class A97, AN 95-308927 XP002057964 & JP 07 206 567 A (MITSUI TOATSU CHEM INC) , 8 August 1995 see abstract</p>	1,10
A	<p>US 4 834 957 A (R.H. VAN DE WALLE) 30 May 1989 see column 5, line 4 - line 12; claims</p>	1,10
Y	<p>FR 2 661 315 A (RHONE POULENC AGROCHIMIE) 31 October 1991 see claim 1</p>	8,9,17, 18
Y	<p>EP 0 237 418 A (RHONE-POULENC CHIMIE) 16 September 1987 see page 3, line 1 - line 7; claims</p>	8,9,17, 18

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 97/20402

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 2679552 A	29-01-93	NONE	
<hr/>			
GB 1035609 A		BE 667331 A	
		DK 113927 B	12-05-69
		FR 1409923 A	08-12-65
		NL 6506923 A	25-01-66
		SE 309605 B	31-03-69
		US 3519413 A	07-07-70
<hr/>			
US 4155314 A	22-05-79	GB 1604215 A	02-12-81
		CA 1132357 A	28-09-82
		CA 1134160 A	26-10-82
		DE 2811828 A	21-09-78
		FR 2383696 A	13-10-78
		JP 53134774 A	24-11-78
<hr/>			
EP 654482 A	24-05-95	US 5552462 A	03-09-96
		AU 7894594 A	01-06-95
		BR 9404666 A	11-07-95
		CA 2134035 A	23-05-95
		JP 7238186 A	12-09-95
		ZA 9408286 A	19-06-95
<hr/>			
US 4834957 A	30-05-89	AU 579666 B	01-12-88
		AU 4853185 A	24-04-86
		CA 1249497 A	31-01-89
<hr/>			
FR 2661315 A	31-10-91	FR 2648317 A	21-12-90
		AU 5450290 A	08-11-90
		CA 2015797 A	02-11-90
		DE 4013930 A	08-11-90
		DK 107890 A	03-11-90
		GB 2230955 A	07-11-90
		GR 1000368 B	30-06-92
		IT 1240693 B	17-12-93
		JP 2295907 A	06-12-90
		LU 87728 A	15-11-91
		NL 9001009 A	03-12-90
		SE 9001558 A	03-11-90
<hr/>			

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 97/20402

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 237418 A	16-09-87	FR 2600862 A	08-01-88
		BR 8701074 A	29-12-87
		CA 1291027 A	22-10-91
		DK 120187 A	11-09-87
		JP 1871831 C	06-09-94
		JP 4011521 B	28-02-92
		JP 62270501 A	24-11-87
		US 4999047 A	12-03-91
